

Model Name:

Network Power Switch (NPS)

Network Power Switch (NPS) is a small smart PDU. NPS allows an administrator to access NPS from a remote side to turn on or off outlets and control load by web and SNMP. It supports 3 ways to control output: web-based direct control, scheduling, and IT equipment monitor (PING) to control equipment power.

Features:

System Function:

- Built-in embedded system:
Support 10M Ethernet interface, provides webpage and SNMP remote management.
- Multiple protocols:
Support ICMP, ARP, IP, TCP, UDP, DHCP, HTTP, NTP, SNMP v1

Power Management:



Remote Control

Remote per outlet on/off by web and SNMP.



Schedule Control

Timed & scheduled on/off/reboot control.



Mail Notification

Notify specified user by mail and SNMP when outlet action or current over threshold.



Power Sequence

User-definable power on/off sequence time.



Ping Event Control

When the specified IT device does not respond to PING, the output will perform a preset power action.

Model Number: NPS-1023J-04N1



Specification

Output		Input	
Voltage	200-240 VAC	Voltage	200-240 VAC
Max. Current	10 A	Frequency	50/60Hz, full range
Outlet	(4) C13	Max. Capacity	2400 VA
ON/OFF Ind.	(4) Green LED	Connection	C14 Detachable Power cord
Overload Protection	None	Power Ind.	(1) Red LED
Measurement		Other	
None		Ethernet	(1) RJ45
		Function Selection	(1) Reset Hole
		Signal Ind.	(1) Yellow LED
Dimension/Weight		Operation	
Net Size	165 x 100 x 40 mm	Operation Temp.	0 ~ 45°C
Net Weight	0.87 kg	Operation Humid.	0% ~ 90% RH
Package Size	230 x 175 x 65 mm	Storage Temp.	-20°C ~ 65°C
Package Weight	1.5 kg	Storage Humid.	0% ~ 90% RH
Approval			
Certification	CE		
Warranty	2 years		

Package

No	Description
1	PDU 1 set
2	Power cord, C13 to C14, 3 m
3	Manual, MIB by link below



Optional Accessory

Model Number	Model Name
STR-C14-B	C13 socket protection



Line Drawing

